Zenith
WATER HEATER

CERTIFIED FOR PERFORMANCE TRUSTED FOR LIFE.



30 YEARS OF Excellence

PERFORMANCE
GUARANTEED


CERTIFIED

NSF

WRAS
WATER REGULATIONS ADVISORY SCHEME


30
YEARS
OF EXCELLENCE

PERFORMANCE GUARANTEED



MOIAT - MINISTRY OF INDUSTRY AND ADVANCED TECHNOLOGY (UAE)

UNITED ARAB EMIRATES
MINISTRY OF INDUSTRY
& ADVANCED TECHNOLOGY

Zenith is fully registered and compliant with the UAE's federal regulatory authority for manufactured goods. MOIAT registration is mandatory for any water heater legally sold in the UAE, and it signals that our products have been reviewed and cleared by the country's highest standards body. For developers, consultants, and procurement teams, this is the first mark they check. For homeowners, this means your Zenith heater is a product the UAE government has formally approved for residential use.

EMIRATES QUALITY MARK (EQM)

The Emirates Quality Mark is awarded by MoIAT to manufacturers who pass both product testing and a full audit of their factory's quality management system. It is one of the most stringent product marks in the region, reserved for goods that meet UAE national standards at every level of production. Zenith holds this mark because we do not just meet the minimum requirement. We have opened our manufacturing floor to inspectors and invited them to verify it. For buyers, the EQM on a Zenith heater is a government-backed assurance of quality that no imported brand can simply purchase.

G-MARK - GULF CONFORMITY MARK

The G-Mark is the GCC's unified product safety certification, recognised across the UAE, Saudi Arabia, Kuwait, Qatar, Oman and Bahrain. It is the Gulf region's equivalent of the European CE mark, and for electrical appliances including water heaters, it is mandatory before a product can legally move across any GCC border. Zenith's G-Mark certification means our heaters have been independently tested and approved for the full Gulf market, giving developers and contractors confidence in cross-border projects, and giving homeowners confidence that the product in their home meets regional safety law.

EN / IEC 60335 - INTERNATIONAL ELECTRICAL SAFETY STANDARD

IEC 60335 is the global benchmark for the electrical safety of household appliances, and Part 2-21 applies specifically to storage water heaters. It covers everything from insulation and earthing to thermostat failure, dry-fire scenarios, and protection against electric shock. Every Zenith heater is tested and compliant to this standard, meaning the electrical components inside your unit have been verified by an independent laboratory to perform safely under normal and fault conditions. This is the technical foundation that every market-access certification in the region is built on.

WRAS APPROVAL - WATER REGULATIONS ADVISORY SCHEME (UK)

WRAS is the United Kingdom's independent certification for products and materials that come into contact with drinking water. It tests that no component inside the heater, including the tank lining, gaskets, and fittings, will contaminate the water passing through it. Zenith is the only UAE-manufactured brand to hold WRAS approval across both electric and solar water heaters up to 300 litres. In the UAE, where heated water regularly enters the same plumbing as your drinking supply, this certification is not a technicality. It is proof that every drop of water that touches a Zenith tank meets drinking water contact safety standards recognised by one of the world's most respected regulatory bodies.

NSF CERTIFICATION (USA)

NSF International is a globally recognised public health and safety organisation. NSF certification evaluates the materials and coatings inside a water heater to ensure they do not leach harmful substances into the water supply. Zenith holds NSF certification across its full range of electric and solar water heaters up to 300 litres, a distinction that very few water heater manufacturers in this region can claim. For health-conscious homeowners, this is independent American confirmation that the materials inside your heater are safe. For developers and projects seeking LEED or Estidama accreditation, it is a specification-grade credential that holds up under scrutiny.

ASME VERIFICATION

The American Society of Mechanical Engineers' Boiler and Pressure Vessel Code has governed pressurised vessels since 1914, covering material selection, qualified welding and pressure testing. Zenith's stainless steel calorifiers from 500 to 10,000 litres carry ASME verification. For high-rise residential buildings, hotels and large central calorifier installations, this is the standard structural and MEP engineers look for when safety cannot be negotiated.

ISO 9001 - QUALITY MANAGEMENT SYSTEM

ISO 9001 is the world's most widely adopted quality management standard, held by over 1.4 million organisations globally and audited by Bureau Veritas. It certifies that Zenith has a formal, documented, and independently verified system for maintaining consistent quality at every stage of production, from component sourcing to final inspection. This is not a claim we make about ourselves. It is a finding that external auditors have confirmed, year after year. For buyers at every level, ISO 9001 is confidence that the standard of your Zenith heater does not depend on which shift built it.

ISO 14001 - ENVIRONMENTAL MANAGEMENT SYSTEM

ISO 14001 certifies that Zenith actively manages the environmental impact of its manufacturing operations, from energy consumption and water use to waste and emissions. In a region where sustainability commitments are now central to government procurement, developer ratings such as Estidama and Al Sa'fat, and the UAE's Net Zero 2050 strategy, this certification matters beyond goodwill. It is documented, audited, and publicly accountable. Choosing Zenith means choosing a manufacturer that has made a verified commitment to responsible production.

ISO 45001 - OCCUPATIONAL HEALTH AND SAFETY

ISO 45001 is the international standard for workplace health and safety management. It requires Zenith to systematically identify risks, protect our workforce, and respond to incidents through a documented and audited system. We include this certification on our page not because customers are typically concerned with how a factory runs, but because the discipline required to hold ISO 45001 reflects directly on how we build. Companies that manage their operations with rigour build better products. This is part of how Zenith maintains quality that lasts.



30

Years of Excellence

Decades of engineering expertise

Made in UAE

Quality product trusted in Global markets

FAMILY OWNED

Family Legacy

Proudly owned and operated in Ajman, UAE

ENGINEERED FOR EFFICIENCY BUILT FOR RELIABILITY

Designed for Performance

Consistent output, ease of use, and long-term reliability are the cornerstones of every Zenith product.

Smile of Confidence

Our global distribution network spans Europe, Africa, Asia and beyond, reflecting decades of earned trust.

Made to Perfection


Precision manufacturing using state-of-the-art equipment ensures quality in every unit produced.

COMPANY PROFILE

Zenith Water Heater has been a trusted name in the Middle East and Asian markets for over three decades. Produced under the banner of Star Industrial Products L.L.C. in the UAE, every unit is manufactured using state-of-the-art equipment to exacting tolerances quality built into the product.



INSIDE VIEW


SECONDARY SAFETY VALVE
HOT WATER OUTLET TUBE
POLYURETHANE FOAM
STORAGE TANK
MAGNESIUM ANODE
HEATING ELEMENT
SAFETY VALVE
THERMOSTAT
COLD WATER INLET TUBE
OUTER BODY

Zenith
WATER HEATER



POWERING

YOUR DAILY COMFORT

Instant heat, consistent performance, and safety you can rely on every single day.

VARIETY OF OPTIONS

Zenith Classic and Zenith Slim in vertical wall mount and horizontal wall or ceiling mount, plus the compact Prismo series. Capacities from 15 to 200 litres for every household size.

15 L - 200 L

Zenith Ultra and Zenith Elite central water heaters from 150 to 300 litres, and stainless steel calorifiers from 450 to 10,000 litres, for hotels, hospitals, schools and industrial applications.

150 L - 10,000 L

Thermosyphon solar water heaters in Zenith Ultra and Zenith Elite from 150 to 300 litres, and forced circulation systems from 500 to 10,000 litres, all with electrical backup. Scalable from a single residential panel to large commercial arrays.

150 L - 10,000 L

Zenith
WATER HEATER

DOMESTIC

VERTICAL WALL MOUNT

CLASSIC AND SLIM



COMPACT PRISMO SERIES



HORIZONTAL / CEILING MOUNT

CLASSIC AND SLIM



ZENITH CLASSIC

VERTICAL WALL MOUNT







Capacity (L)	30 L	50 L	80 L	100 L
Model code	ZT30V	ZT50V	ZT80V	ZT100V
Height (mm)	475	560	800	950
Diameter (mm)	390	440	440	440
Voltage (V)	220-240	220-240	220-240	220-240
Standard Power (KW)	1.2	1.2	1.2	1.5
Maximum Working Temp (C°)	85	85	85	85
Maximum Working Pressure (BAR)	8	8	8	8

Capacity		30 L	50 L	80 L	100 L
Dimension (mm)	A	475	540	780	950
	B	495	560	800	970
	C	345	385	665	785
	D	390	440	440	440
	E	150	150	150	150
	F	425	475	475	475
	G	270	270	270	270


*Power for each capacity can be customized as per requirement

ZENITH SLIM

VERTICAL WALL MOUNT







Capacity (L)	50 L	80 L	100 L
Model code	ZT50V	ZT80V	ZT100V
Height (mm)	655	905	1260
Diameter (mm)	390	390	390
Voltage (V)	220-240	220-240	220-240
Standard Power (KW)	1.2	1.2	1.5
Maximum Working Temp (C°)	85	85	85
Maximum Working Pressure (BAR)	8	8	8

Capacity		50 L	80 L	100 L
Dimension (mm)	A	600	880	1180
	B	655	905	1280
	C	615	720	900
	D	390	390	390
	E	150	150	150
	F	425	425	425
	G	270	270	270


***Power for each capacity can be customized as per requirement**

ZENITH CLASSIC



HORIZONTAL WALL/CEILING MOUNT

Capacity (L)	**30 L**	**50 L**	**80 L**	**100 L**	**120 L**	**150 L**	**200 L**
Model code	ZT30H	ZT50H	ZT80H	ZT100H	ZT120H	ZT150H	ZT200H
Length (mm)	475	560	800	950	1115	1350	1385
Diameter (mm)	390	440	440	440	440	440	540
Voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240	220-240
Standard Power (KW)	1.2	1.2	1.2	1.5	2.0	2.5	3.0
Maximum Working Temp (C°)	85	85	85	85	85	85	85
Maximum Working Pressure (BAR)	8	8	8	8	8	8	8
Dimension (mm) A	475	560	780	970	1140	1240	1100
B	410	465	465	465	465	465	620
C	265	405	405	405	415	415	515
D	390	440	440	440	440	440	620
E	215	240	240	240	255	255	355
F	410	460	460	460	475	475	635
G	270	270	290	290	600	855	500




***Power for each capacity can be customized as per requirement**

ZENITH SLIM



HORIZONTAL WALL/CEILING MOUNT

		50 L	80 L	100 L
Capacity (L)		**50 L**	**80 L**	**100 L**
Model code		ZT50H	ZT80H	ZT100H
Length (mm)		655	905	1260
Diameter (mm)		390	390	390
Voltage (V)		220-240	220-240	220-240
Standard Power (KW)		1.2	1.2	1.5
Maximum Working Temp (C°)		85	85	85
Maximum Working Pressure (BAR)		8	8	8
Dimension (mm)	**A**	655	905	1280
	B	410	410	410
	C	385	385	385
	D	390	390	390
	E	215	215	215
	F	425	425	425
	G	270	290	290



***Power for each capacity can be customized as per requirement**

PRISMO

WALL MOUNT
15 & 30 LITERS

*Power for each capacity can be customized as per requirement





Capacity	15 L	30 L
Model code	ZT15P	ZT30P
A (mm)	400	445
B (mm)	400	445
C (mm)	310	410
Voltage (V)	220-240	220-240
D (mm)	300	350
E (mm)	125	160
F (mm)	85	85
Standard Power (KW)	1.2	1.2



COLOR OPTIONS

Zenith
WATER HEATER



WHERE
PERFORMANCE

MEETS
EVERYDAY
COMFORT

Zenith
WATER HEATER

PERFORMANCE MADE RELIABLE




Zenith
WATER HEATER

COMMERCIAL SYSTEMS

STAINLESS STEEL CALORIFIERS

CENTRAL WATER HEATERS



CENTRAL WATER HEATERS



ZENITH ULTRA
150 - 300 Liters
(Floor Mount Units)
CUSTOMIZABLE



Model	ZT150VF	ZT200VF	ZT300VF
A (mm)	540	620	620
B (mm)	1080	1100	1480
C (mm)	20	30	30
D (mm)	95	95	95
E (mm)	110	150	200
F (mm)	110	150	200
Standard Power (KW)	2.5	3.0	6


N1 - OUTLET
N2 - INLET
N3 - DRAIN
N4 - T & P VALVE

CENTRAL WATER HEATERS



ZENITH ELITE
150 - 300 Liters
(Floor Mount Units)
CUSTOMIZABLE

Model	ZT150VF	ZT200VF	ZT300VF
A (mm)	440	540	540
B (mm)	1435	1460	1815
C (mm)	20	30	30
D (mm)	90	90	90
E (mm)	120	150	150
F (mm)	120	150	150
Standard Power (KW)	2.5	3.0	6



N1 - OUTLET
N2 - INLET
N3 - DRAIN
N4 - T & P VALVE

DUAL CONTROL

CENTRAL WATER HEATERS

200 - 300 Liters
(Floor Mount Units)
CUSTOMIZABLE






Parameter	200 L, 1 Ph	200 L, 3 Ph	300 L, 1 Ph	300 L, 3 Ph (Sim.)	300 L, 3 Ph (Non-sim.)
Model	ZT200DVFM		ZT300DVFM		
Supply	230 V, 1 Ph	400 V,3 Ph + N	230 V, 1 Ph	400 V, 3 Ph + N	400 V, 3 Ph + N
Elements	4.5 kW x 2	4.5 kW x 2	4.5 kW x 2	4.5 kW x 2	4.5 kW x 2
Operation	Non Simultaneous	Simultaneous	Non Simultaneous	Simultaneous	Non Simultaneous
Max. load	4.5 kW	9.0 kW	4.5 kW	9.0 kW	4.5 kW
Thermostat	Body contact, with manual-reset safety cut-out				
Diameter x Height	620 x 1100 mm	620 x 1100 mm	620 x 1500 mm	620 x 1500 mm	620 x 1500 mm

STAINLESS STEEL

CALORIFIERS

ZT450VF - ZT10,000VF
CUSTOMIZABLE





Capacity	ZT450VF	ZT750VF	ZT2500VF	ZT5000VF	ZT7500VF	ZT10,000VF
A (mm)	100	100	100	100	100	100
B (mm)	70	70	90	90	90	100
C (mm)	900	1435	1450	1800	1800	1300
D (mm)	900	900	1450	1700	2050	2300
E (mm)	1700	2100	2350	3350	3370	3760
F (mm)	75	75	100	100	100	100
Standard Power (KW)	6	12	30	60	90	120

Zenith
WATER HEATER

SOLAR

FORCED CIRCULATION WATER HEATER

THERMOSYPHONIC WATER HEATER





Made in UAE

SOLAR SYSTEM

ZENITH ULTRA THERMOSYPHONIC WATER HEATER







TECHNICAL INFORMATION

Models	Tank Capacity (L)	A Width (mm)	B Length (mm)	H Height (mm)	Tank Diameter (mm)	Panel's Size	No. of Panel	Electrical Backup (W)
ZT150S	150	1100	2700	1100	540	2 sq.m	1	3000 W
ZT200S	200	1100	2700	1200	620	2 sq.m	1	3000 W
ZT300S	300	1430	2900	1200	620	2.7 sq.m	1	3000 W


FOUNDATION DETAILS


Models	Tank Capacity (L)	Width (mm)	Length (mm)	Height (mm)
ZT150S	150	1300	2800	150
ZT200S	200	1300	2800	150
ZT300S	300	1300	2900	150


SOLAR SYSTEM

ZENITH ELITE
THERMOSYPHONIC WATER HEATER









TECHNICAL INFORMATION


Models	Tank Capacity (L)	A Width (mm)	B Length (mm)	H Height (mm)	Tank Diameter (mm)	Panel's Size	No. of Panel	Electrical Backup (W)
ZT200S	200	1415	2700	1100	540	2 sq.m	1	3000 W
ZT300S	300	2100	2700	1100	540	2 sq.m	2	3000 W

FOUNDATION DETAILS

Models	Tank Capacity (L)	Width (mm)	Length (mm)	Height (mm)
ZT200S	200	1300	2700	150
ZT300S	300	2600	2700	150

SOLAR SYSTEM

FORCED CIRCULATION WATER HEATER



TECHNICAL INFORMATION

Models	ZT 500SF	ZT 750SF	ZT 1000SF	ZT 1500SF	ZT 2000SF	ZT 2500SF
KW	9	12	18	24	30	30
A Height (mm)	1750	2100	2400	2200	2050	2350
B Diameter (mm)	900	900	900	1200	1450	1450

Models	ZT 3000SF	ZT 4000SF	ZT 5000SF	ZT 7500SF	ZT 10000SF
KW	36	48	60	90	120
A Height (mm)	2650	2650	3350	3370	3760
B Diameter (mm)	1450	1700	1700	2050	2300


Zenith
WATER HEATER
COMMERCIAL
PROJECTS


BARAKAH NUCLEAR POWER PLANT,
ABU DHABI
ZA'ABEEL PALACE,
DUBAI
FAIRMONT PALM JUMEIRAH,
DUBAI

ANANTARA RESORT,
DUBAI





TIARA RESIDENCES PALM JUMEIRAH,
DUBAI

OCEANA RESIDENCES PALM JUMEIRAH,
DUBAI


KINGDOM OF SHEBA PALM JUMEIRAH,
DUBAI



PORT DE LA MER,
DUBAI


J5 HOTEL,
DUBAI



AZIZI RIVIERA MEYDAN,
DUBAI




SABAH AL SALEM UNIVERSITY,
KUWAIT




AMERICAN UNIVERSITY
OF SHARJAH



MOVENPICK
LAGUNA,
DUBAI



INFINITY
TOWER,
DUBAI



STADIUM
POINT APT,
DUBAI

SOLAR PROJECTS

THE FIELDS MEYDAN, DUBAI



JUMEIRAH VILLAGE TRIANGLE, DUBAI

EXPORT MAP



UAE Saudi Arabia Oman Bahrain Kuwait Iraq Lebanon Jordan Syria Iran

Russia Vietnam Azerbaijan Afghanistan Nigeria Egypt Libya Algeria Turkmenistan Ghana

Ethiopia Morocco Macedonia Ukraine Montenegro Serbia Kosovo Spain Malta Chile

EUROPE

ZENITH INTERNATIONAL DOOEL

STR. MIROSLAV KRLEZA NR. 20, 1000
SKOPJE, REPUBLIC OF MACEDONIA.
TEL: +38923110909
E-MAIL: contact@zenithinternational.mk

MIDDLE EAST

STAR INDUSTRIAL PRODUCTS L.L.C.

TEL: +971 6 7434389, FAX: +971 6 7438085
P.O. BOX: 2891 AJMAN, U.A.E.
E-MAIL: zenithok@emirates.net.ae,
info@zenithuae.net

Zenith
WATER HEATER

CERTIFIED FOR PERFORMANCE TRUSTED FOR LIFE.



CONNECT WITH US *www.zenithheater.com*

New Industrial Area,
Ajman, UAE

FOR MORE INFORMATION

Call us
+97167434389

Mail us
info@zenithuae.net